Date Sup Packing Slip: Invoice: Receipt: Discrepancies	Yes Mo Cr Cr	Stool Rel Wash	Batch N Dart P/ ease Note Attaybill Attached ipment Composite Control of the Cork Order	tached: Yes	s - No	NIA NIA NIA
Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
)		
				*		
		Initials	of receiver	(if shipment	OK) Level	12
Production/Ac Date Received/Cos Initial	sting 75-7-1	CPEDORT Rev			Location	on

].

Purchase Order Receipt Listing

Thursday, April 11, 2013 10:47:56 AM

All amounts are calculated in domestic currency.

All Vendors PO ID po19529 Receipt Dates from 4/11/2013 to 4/11/2013 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

Insp Reg	Project ID Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Oty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Reject Qty	Book Amt
VC-C	VC-CAM002 Campi Steel	iteelsf	4/12/2013	4/11/2013	128.0000	\$6.00	0.0000	. 0	\$767.40
	6061-T6 .125 Sheet	ĴŜ	128.0000			\$767.40	0.0000	0	
	125257 M6061T6B0.375X01. f	Ţ	4/12/2013	4/12/2013 4/11/2013	40.0000	\$1.16	0.0000	0	\$46.24
	000 6061T6 BAR .375 x f 1 00	f	40.0000	DESJ02		\$46.24	0.0000	0.	
	125257								
	M6061T6B0.500X05. f	4-1	4/12/2013	4/11/2013	40.0000	\$7.75	0.0000	0	\$310.05
	000 6061-T6 Bar 500 x	•	40.000	DESJ02		\$310.05	0.0000	0	
	5.00 125257								
						Total	Total Oty to Inspect (PO U/M):	uantity: O U/M):	208.0000
							Total Reject Quantity:	uantity:	0.0000
						To	Total Receipt Value: Total Balance Due Quantity:	it Value: mantity:	\$1,123.70 0.0000

T.V.O. / T.V.H.	HADAR SHEET	NATIONALIM SE BELEEVE IN COULD VARIABLE DE L'ESTE EN L'ESTE MANAGEMENT DE L'ESTE PRINTE L'ESTE PRINTE L'ESTE L'EST		PER MENUT ET MERSTENEN. – AUGUM RETURA DE APOCHAMISKE RES E est bijet et à des frais de Manatthetem de 29%.	TOTE SALES DE PROPENSATE LA PROPENSATE LA PROPENSATE DE PR	2.0
TPS. GS.T	LE NE LESPECT WITH	S DOCUMENT BYCUSED NAMED OF STREET OF STREE	<u>:</u>	OUT MESSALENS SHEELDES TAMBELLE PROPERTY SHEEL S	AND THE COLOURS CHANGE BY A SHARE A RESPONDED TO CHANGE THE ANALYSIS OF THE AN	
SOUS-TOTAL SUB TOTAL	г	AND THE MOOR SELECTION OF THE TAX		NOCHENE BALLELING VOOR - SIE MEET BESTEL SO SIEGERALING VOOR VOOR SIE MEET SIE SIEGER SIE SIEGERALING VOOR SIEGER SIEGER SIEGER SIE	CONDITIONS: ES MARTA ACURARS E HATURES ELS QUE DÉCRITS DEMENSIT LA PROPRÉS MARCE - LES PROQUES DE PRATES DURBINS MÁLACIMARECE LACRETER +	m <i>r</i> –
	u	363	1_	UN (M) + P) Pled + PC Ped carrie	Limite de mesure: CLB Comfières . CPI Contibléd . UN Unité l'unité d'amesure: CLB Andréd pounds . CPI fluoraulitée . UN Unit	
	- -					
						•
	-		HC2[1 36 1 5 A	2 X 20 (2 X 20)		
and the same of th		posts construction		3	FAL125 40	ك
		17.68	AT 3/8 X 1 HOCT : 52397	ALS ELAT	FAL381 40	ىشى
		228.00] (C>		PAL48186861 4	
	-		1) -		
PAR * HANTANT PER * ANSOLIT	PRIX	POIDS WEISHT	DESCRIPTION	SHIPPED	CORPACHO 3000 JUNEARO LINCON JUNEARO SOLO COMMANDE DE PRODUCTOR DE PRO	
STADMARKS PAGE N° (3691.	ER REMARQUES / HENGINGS	- 一門	12345 NET 30 JOURS	VEND./SALESM CODE CLERT/CUST CODE EXPEDIE PAR U DAER 12345	VOTRE N° DE COMMANDE / YOUR PO. N° VEND. / SALES	
DATE DE LIVRAISON 11/84/13 DELIVERY DATE	DATE C		K6A 1K7	EQUIP: OUI LIFT	K6A 1K7	
BON DE LIVRAISON N°	BON DE		HAWKESBURY,		1278 ABENDEEN SIREEL HRUKESBURY,	
09/04/13	DÀTE		AEROSPACE	-		
ONDER N GLIGBOY	- UKL			13-636-1839	613-632-5288 513-6	
	CO		EXPÉDIEZ À / SHIP TO:	4/25/23	••	, ,
a du Sanoir "787"	On a al		ONTARIO : 1 800 667-4248 FAX : 1 866 456-4242	+ TOWN?	1977	/B-
STEEL AND SPECIALTY METALS DISTRIBUTION		514 330-4246	FAX: 450 377-5696 FAX:	3	C A M F I Valleyfield (Outlibed)	

935, boul, du Havre Vafleyfield (Québec)

TÉLÉPHONE: 450 377-4248 FAX: 450 377-5696

MONTRÉAL: 514336-4248 FAX: 514336-4246

DISTRIBUTEUR D'ACIER ET MÉTAUX SPÉCIALISÉS

84 AB

PRIDWAY - PRIDWAY

TELES DISK

MARCHANDISE REQUE EN BRÎNIE CONDITION ARENCHANDISE RECEIVED IN 6000 CONDITION A / Y N / M

T.V.Q. / T.V.H. Q.S.T. / H.S.T.

BOHLLE

TOTAL

TIFIED INSPECTION REPORT

Alcoa Inc.

1405723 Ship Date 2012-07-17

DAVENPORT WORKS 4879 State Street Bettendorf, IA 52722

Ship From:

RIVERDALE, IA.

nvoice No Aicoa No. Item

1000374585~5

Customer 00000

Alcoa Item

DPE-74585-5

P.O. No./Govt Contract No. C65127 Ln#: 5

7193449

Se Contract

This test report shalf not be reproduced except in full, without the written approprial of the Gluetty Department. No alteration, addition or other change is authorized to be made to this certificate. The recording of false, ficilities, or otherwise fraudulent steements or entires or this certificate by any recipient may be published as a felony under applicable law.

We provided that we makerial covered by this certificate has been inspected with, and has been found to meet the applicable requirements described therein, including any specifications forming a part of the description and that samples representative of the material met the composition finite and had the mechanical properties shown on the face of this sheet.

Rub Wooda

Ship To:

Birector of Marsifacturing Daverport Works

Quelity Assurance Manag Terrence Thom

Page 1 of 2

Item Description

and Book 13

MAX GROSS SKID WGT: 4500 LB TOLERANCE GUARANTEED. AMS4027 REV N T6 FLAT SHEET FOR DISTRIBUTORS 0.125 IN TK (+0.0000 - 0060) X 48.0 IN W ((MARKED)) KRAFT PAPER EXC_MRK ASTMB209 REV 10 CMMP025 REV U .125) X % CQR 0209971 REV 14 *** W/E 12-07-21 *** 96.0 IN LN (+.125 -.125) (N) A/T INTERLEAVED CUST REQ 12-07-QUAN TOL +/-(+, 125)6061-

		430908	4.06.05	430906	· · · · · · · · · · · · · · · · · · ·	Package	
) [] [] [] [] [] [] [] [] [] [Package Ticket	
		532311	116255	532311		Lot	
,	, , , , , , , , , , , , , , , , , , ,	4238 77	986	4184		Weight	
	Ĺ	77	ا_ر (بن	77	1 1 7 3 4 4 4 1 1 1	Quantity	
		P.	Ϋ́	PC	1 1 1 1 1	COM	
		27710 47359	47359	27710 47359	; t:	Inspector Clock Numbers	
(うつのなって		いったい	ニケでもつの		Inspector Clock Numbers	
					1 1 1		

nu.

Notes for CQR: 0209971.14

PRODUCT PRODUCED TO THE REQUIREMENTS OF AMS4027 REV N ALSO MEET THE REQUIREMENTS OF AMS-QQ-A-250_11 ORIGINAL REVISIO N DATED 1997-08-01.

COR: 0209971.14 -Specification Limits

Long Transv. z z X z z UTS KSI ISX EL4D

42.0

35.0

5

Tripr



CERTIFIED INSPECTION REPORT

Alcoa Inc.

1405723 Ship Date 2012-07-17

P.O. No./Govt Contract No. C65127 Ln#: 5

> Customer 00000 Invoice No.

> > 1000374585-5 Alcoa No. Item

DPE-74585-5

Alcoa Item

7193449

DAVENPORT WORKS 4879 State Street Bettendorf, IA 52722

Ship From: RIVERDALE, IA.

We hereby certify trust the material covered by this certificate has been inspected with, and has been found to meet the applicable requirements described theren, including any specifications forming a part of the description and that samples representative of the naterial and the composition familis and had the mechanical properties shown on the face of this sheet.

This feet report shall not be reproduced except in full, without the written approval of the Quality Department. No alteration, addition or other change is authorized to be made to this certificate. The recording of false, factionus, or otherwise fraudiant, additions or entires on this certificate by any recipient may be purelished as a fellony under applicable law.

爱人

Rob Woodell Overtor of Mary facturing Developed Works

Quality Assurance Menages Terrence Thom

Page 2 of 2

Cast Number H2092061	Chemical Co Alloy 6061 Lot: 532311 Tmpr Dir	CQR: 02
The r	tl Comp 061 2311 Dir Long	09971.
Chemical - OBS SI FE CU MN MG CR ZN TI Actuals 0.65 0.4 0.25 0.05 1.0 0.16 0.04 0.03	Chemical Composition SI FE CU MN MG CR ZN TI Bach Alloy 6061 Max 0.8 0.7 0.40 0.15 1.2 0.35 0.25 0.15 0.05 0.40 0.15 1.2 0.35 0.25 0.15 0.05 0.40 0.15 0.8 0.04 0.15 0.8 0.04 0.15 0.8 0.04 0.15 0.8 0.04 0.15 0.8 0.04 0.15 0.8 0.04 0.15 0.8 0.04 0.15 0.8 0.04 0.15 0.8 0.04 0.15 0.8 0.04 0.15 0.8 0.04 0.15 0.8 0.04 0.15 0.8 0.04 0.15 0.8 0.04 0.15 0.8 0.04 0.15 0.8 0.04 0.15 0.8 0.04 0.15 0.8 0.04 0.15 0.8 0.04 0.15 0.05 0.15 0.1	CQR: 0209971.14 -Specification Limits (cont.)
- OES	Max Min nical, No-> Test	ication
0.65 SI	SI F 0.8 0 0.40 Physica	1 Limit
O.PE	SI FE CU MN MG CR ZN TI Bach Total 0.8 0.7 0.40 0.15 1.2 0.35 0.25 0.15 0.05 0.15 0.40 0.15 0.8 0.04 0.15 0.8 0.04 0.15 0.8 0.05 0.15 0.05 0.15 0.05 0.15 0.05 0.15 0.05 0.15 0.05 0.15 0.05 0.15 0.05 0.15 0.1	is (con
20 0. 25 /	FE CU MN MG CR 1.7 0.40 0.15 1.2 0.35 0.15 0.8 0.04 1. Metallography, Qua- UTS TYS KSI KSI S0.9 45.9 50.8 45.8 50.8 45.8 50.8 45.8 50.8 45.8	. .
MN 0.05∕	MG 0.8 Praphy TYS RSI 45.8 45.8 45.5	1
1. of	CR 0.35 0.04 0.04 E	•
0.16 ∕	ZN 7 15 0.25 0 14 iantomets 814D PCT 12 12 12 12 12 12 12 12	1
ZN 2N	0).15 0)r Res	! !
11	Other Other Bach Total 0.05 0.15	[
	Other Potal 0.15	
	Aluminum	1

30/3

This material was melted in the United States or a Qualifying Country (REP DFARS 225.872.1(a)); it was manufactured in the United States



ROCKWELL TEST

Cus	tomer			Dete		Location		
	:			11/4/201	11	Mississaug	9	
Customer#		8156	<u> 2</u>			Order #		1101425
Control #		15018	<u>-1</u>			P.O. #		OU-36254
Cust Part #	1" X .3	76" F.				Die #		AS 7772
Alloy & Temper		60 81 1	120100 C			Cast #		52397
Tes	t results			ROCKW	ELL R			*F*
	:		Min. Re Actual	quired	88] ¬		
,			·		93_			
			Typics	l Chemist	y/ 6061	_		
	Fe	Cu	Mart	Mg	Cr	Ni	Zn	Ti
0.4-0.8	0.7mx 0.	15-0.4	0.15mx	0.8-1.2	.0435	0.05mv	0.2mv	A 20mm

81		Cu	Mn	Mg	Çr	Ni	Zn	Tí
0.4-0.8	0.7mx	0.15-0.4	0.15mx	0.8-1.2	.0435		0.2mx	0.20mx

Tensile testing is performed according to ASTM B557.64 requirements Mechanical test results conform to specifications for ASTM B221/SB221 The aluminum extrusions tested meet the chemical composition requirements of the alloy specified.

Test certified by	Anil Verma	Date	11/4/2011
		_	

Tel: (905) - 890 - 8821 (905) - 890 - 3670

13/04/13

sapa:

Test de dureté Rockwell **Rockwell Hardness Test**

Client / Customer:

Adresse / Address :

commande Sapa / Sapa order # :

3021415

bon de commande / Purchase order #: OU-39071

de matrice / Die #: MS 16482

Description: 5"X1/2" FLAT BAR

Alliage & frempage / Alloy & temper: 5061 T6

Longueur / Lenght: 6096 mm

Contrôle / Control #: 87169-2

Rockwell E hardness: 91 HRE

Coulée / Cast #: 13011151A

Durefé Rockwell E /

Min. requis /

Min. required: 88 HRE

Max. permis /

Max. permitted: 100 HRE

Composition chimique typique / Typical chemical

		ſ .	TOO'S INDIC	ui chemico	ii composit	ion :		
	Si	fe	Cu	Mn	Mg	Cr		
6063	0.20 - 0.60	0,35 Max	0,10 Max				Zn	<u> </u>
6005	0.60 - 0.90			0,10 Max	0.45 - 0.90	0.10 Max	0.10 Max	0.10 Max
		0.35 Max	0.10 Max	0,10 Max	0.40 - 0.60	0.10 Max	0.10 Max	0.10 Max
6005A	0,66-0.74	0,14 - 0.28	0,08 - 0.16	0,18 - 0.26	0,46 - 0,54			
<u>6061</u>	0.40 - 0.80	0.70 Max	0.15 - 0,40				0,05 Max	0,05 Max
6351	0.7 - 1,3		f "- ",		0.80 1,20	0,04 - 0,35	0.25 Max	0.15 Max
	0,7 - 1,3	0.5 Max	0.10 Max	0.40 - 0,80	0.40 - 0,80	·	0.20 Max	0.20 May

Nous certifions que le matériel fourni rencontre les exigences chimiques telles qu'annoncées par la norme ASTM B-221-08 excepté pour la section 8.2 (nombre de spécimen).

We hereby certify that the material supplied meets the chemical properties as published by the ASTM B-221-08 except for section 8.2 (number of specimen) .

Sincèrement vôtre,

date: 2013-03-05

Yours truly,

Gilles Pelletier Téchnicien de la qualité Quality technician



2

Change Nbr:

Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO19529

Purchase Order Date 4/09/13 PO Print Date 4/10/13

Certificate of Conformity or Material

NO

Certification required TYES

Page Number 1 of 2 Order From: VC-CAM002 **CAMPI STEEL** 935 BOUL. DU HAVRE VALLEYFIELD, QC J6S 5L1 CA Contact Name Buyer Chantal Lavoie Vendor Phone 800 667 4248 Requisition Nbr Vendor Fax 450 377 5696 Tax Resale Nbr 10127-2607 REVISED & Vendor Account Nbr Net 30 Terms Currency CAD FOB Destination-Collect Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 **CANADA** Line Nbr Reference Description/ Req Date/ Req Qty/ Ship Method **Unit Price** Extended Mfg ID Taxable Unit of Measure Revision ID Price Vendor Part Number M6061T6S.125 6061-T6 .125 Sheet 4/12/13 128.00 Yours ppd \$6.0909 \$779.64 Yes sf Special Inst: MATERIAL: 6061-T6/T62 ALUMINUM SHEET AS PER QQ-A-250/11 OR AMS-QQ-A-250/11 OR AMS 4027 OR ASTM B209 M6061T6B0.375X01.000 6061T6 BAR .375 x 1.00 4/12/13 40.00 Yours ppd \$1.1745 \$46.98 Yes Special Inst: MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-OO-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221 M6061T6B0.500X05.000 6061-T6 Bar .50 4/12/13 40.00 Yours ppd \$7.8750 \$315.00 Yes soumission 319677 No substitution or deviation without **PO Instructions:**

4/10/13

Change Date:



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO19529

Purchase Order Date 4/09/13 PO Print Date 4/10/13

Page Number 2 of 2

Order From:

CAMPI STEEL 935 BOUL. DU HAVRE VALLEYFIELD, QC J6S 5L1 CA

Contact Name

Vendor Phone

800 667 4248

Vendor Fax Vendor Account Nbr 450 377 5696

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms Currency Net 30 CAD

FOB

Destination-Collect

Special Inst:

MATERIAL: 6061-

T6/T651/T6510/T6511/T62 ALUMINUM

BAR

VC-CAM002

AS PER QQ-A-225/8 OR AMS-QQ-A-225/8

OR AMS 4117/4128/4115/4116

OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR

AMS 4160 OR ASTM B211 OR

ASTM B221

PO Total:

\$1,141.62

MATERIAL CERTIFICATION REQ'D UPON DELIVERY

PO Instructions:

soumission 319677

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required NO

Change Nbr:

2

Change Date:

4/10/13